


# NARVI

A close-up photograph of a person's legs and feet standing on a dark, wet, and textured rock. The person is wearing light-colored shorts. The background shows dark water with white foam from waves crashing against the rocks. The overall mood is serene and natural.

Sauna stoves  
and heaters

MAXIMUM  
RELAXATION

2023



# NARVI

Perfect sauna experience,  
perfect relaxation.

MAXIMUM  
RELAXATION

In a cabin sauna, birch leaves stick to your skin and the gentle scent of fresh bath whisks fills the air. Steam veils the landscape outside the window. Sweat drops cooling on the skin in gentle breeze.





After a long working day, a hot sauna awaits you at home.  
Relaxation spreads through your legs raised on the barrier.  
The steam rising from the stones once again tingles the  
upper back.





The sauna is a place where we disconnect from everything else for a while. We let the soft steam relax us, the sweat come and the mind clear. We let ourselves be who we are, alone or in a good company. And the more perfect the steam, the fuller the experience.





For 70 years, we have been devoted to ensuring perfect sauna pleasures for country and city settings, for the saunas customised to the liking of, and important for, each individual Finn.





Narvi sauna stoves and heaters are hand-made at Lapinkylä, Rauma, using Finnish stones and hand-shaped metal, with deep love.





Our extensive sauna stove manufacturing traditions and professional pride oblige us to always require the best. Careful choice of materials and well-considered design result in products that withstand the test of time.





# Electric sauna heaters



|                         |    |
|-------------------------|----|
| NARVI MINEX             | 18 |
| NARVI NM                | 19 |
| NARVI NC ELECTRIC       | 20 |
| NARVI NS & NS MINI      | 21 |
| NARVI SAANA             | 22 |
| NARVI SMOOTH            | 23 |
| NARVI VELVET ELECTRIC   | 24 |
| NARVI TRIO              | 25 |
| NARVI COMBI             | 26 |
| NARVI PEAK & PEAK BIG   | 27 |
| NARVI ULTRA SMALL       | 28 |
| NARVI ULTRA & ULTRA BIG | 29 |
| NARVI INFRARED          | 30 |
| CONTROL UNITS           | 31 |

# NARVI MINEX

## SMALL HEATER, GREAT STEAM

Narvi Minex is a durable and easy-to-use basic heater designed for smaller saunas. Despite its compact size, this genuine little giant offers majestic sauna pleasures. Narvi Minex is available in black and steel finish. Narvi Minex sauna heaters are hand-made at Lapinkylä, Rauma.



| NARVI MINEX | Sauna volume (m³) | Dimensions (cm) |    |    | Heater weight (kg) | Stone capacity (kg) (Ø5–10cm) | Safety distances (cm) |       |     |       |
|-------------|-------------------|-----------------|----|----|--------------------|-------------------------------|-----------------------|-------|-----|-------|
|             |                   | H               | W  | D  |                    |                               | Sides                 | Front | Top | Floor |
| 3kW         | 2–3               | 63              | 33 | 20 | 7                  | 15                            | 2                     | 5     | 90  | 15    |
| 3.6kW       | 2–4               |                 |    |    |                    |                               |                       |       |     |       |

Outer casing: painted or stainless steel.  
The heater is equipped with a safety-enhancing indicator lamp that shows whether the heater is on.

Product codes:

|        |                              |        |                              |
|--------|------------------------------|--------|------------------------------|
| 163262 | Narvi Minex 3.0kW, black     | 163284 | Narvi Minex 3.6kW, black     |
| 163263 | Narvi Minex 3.0kW, stainless | 163283 | Narvi Minex 3.6kW, stainless |

# NARVI NM

## A RELIABLE BASIC HEATER FOR HOME SAUNAS

Narvi NM is a durable and easy-to-use wall-mounted basic heater for home saunas. The heater is made of high-quality materials and produces generous steam owing to its large stone compartment. The controls can conveniently be installed to the right or left side of the heater. The heater is available with three different power options: 4.5kW, 6.0kW and 9.0kW. The colour choices include graphite grey, black, and polished stainless steel. Narvi NM sauna heaters are hand-made at Lapinkylä, Rauma.



| NARVI NM | Sauna volume (m³) | Dimensions (cm) |    |    | Heater weight (kg) | Stone capacity (kg) (Ø5-10cm) | Safety distances (cm) |       |     |       |
|----------|-------------------|-----------------|----|----|--------------------|-------------------------------|-----------------------|-------|-----|-------|
|          |                   | H               | W  | D  |                    |                               | Sides                 | Front | Top | Floor |
| 4.5kW    | 3-6               | 58              | 43 | 30 | 10                 | 30                            | 5                     | 5     | 115 | 12    |
| 6kW      | 5-8               |                 |    |    |                    |                               |                       | 8     |     |       |
| 9        | 8-14              |                 |    |    |                    |                               | 10                    | 10    |     |       |

Product codes:

|        |                                       |        |                                       |
|--------|---------------------------------------|--------|---------------------------------------|
| 900033 | Narvi NM 600 6.0kW, black             | 900035 | Narvi NM 900 9.0kW, black             |
| 900333 | Narvi NM 600 6.0kW, grey              | 900335 | Narvi NM 900 9.0kW, grey              |
| 900133 | Narvi NM 600 6.0kW, brushed stainless | 900135 | Narvi NM 900 9.0kW, brushed stainless |

# NARVI NC ELECTRIC

## DISCREET STYLE AND COMFORT

Narvi NC Electric is a discreetly stylish, high-quality electric sauna heater. The heater quickly heats up to a pleasant sauna session temperature. The separate control unit enhances user-friendliness and can be installed inside or outside the sauna. The heater is available in black, white or steel finish. Narvi NC Electric sauna heaters are hand-made at Lapinkylä, Rauma.



| NARVI NC | Sauna volume (m³) | Dimensions (cm) |      |      | Heater weight (kg) | Stone capacity (kg) (Ø5–10cm) | Safety distances (cm) |       |     |       |
|----------|-------------------|-----------------|------|------|--------------------|-------------------------------|-----------------------|-------|-----|-------|
|          |                   | H               | W    | D    |                    |                               | Sides                 | Front | Top | Floor |
| 6kW      | 6–9               | 52              | 43.5 | 31.5 | 15                 | 25                            | 5                     | 8     | 115 | 12    |
| 9kW      | 9–15              |                 |      |      |                    |                               | 7                     | 10    |     |       |

Outer casing: painted black, white, or stainless steel.

Product codes:

- 900523 Narvi NC Electric 6.0kW, black
- 900525 Narvi NC Electric 9.0kW, black
- 900533 Narvi NC Electric 6.0kW, stainless
- 900535 Narvi NC Electric 9.0kW, stainless
- 900513 Narvi NC Electric 6.0kW, white
- 900515 Narvi NC Electric 9.0kW, white

Accessories:

- 809028 Control unit cable, 6-pin, 10m, grey
- 163603 Installation flange NC Electric, black, 60.4x40cm

incl. separate control unit (with 3m cable) and thermostat

# NARVI NS & NS MINI

## THE FEATURES OF A MESH HEATER AND THE CONVENIENCE OF A WALL-MOUNTED HEATER



Narvi NS

Narvi NS Mini

Narvi NS is a beautiful mesh sauna heater and an excellent alternative for those fond of wall-mounted heaters. Narvi NS combines the best features of these two heater types – the humid and long steam of mesh heaters and the convenience of wall-mounted heaters. In the larger version, Narvi NS sauna heater, the controls can be installed to the right or left side of the heater. The heater does not need a separate temperature sensor. The colour options are black and steel. Narvi NS Mini boasts the same features as its counterpart while being more compact. Narvi NS sauna heaters are hand-made at Lapinkylä, Rauma.



| NARVI NS | Sauna volume (m³) | Dimensions (cm) |    |    | Heater weight (kg) | Stone capacity (kg) (Ø5-10cm) | Safety distances (cm) |       |     |       |
|----------|-------------------|-----------------|----|----|--------------------|-------------------------------|-----------------------|-------|-----|-------|
|          |                   | H               | W  | D  |                    |                               | Sides                 | Front | Top | Floor |
| 4.5kW    | 3-6               | 60              | 47 | 27 | 9                  | 35                            | 10                    | 10    | 128 | 12    |
| 6kW      | 5-8               |                 |    |    |                    |                               |                       |       |     |       |
| 9kW      | 8-14              |                 |    |    |                    |                               |                       |       |     |       |

| NARVI NS MINI | Sauna volume (m³) | Dimensions (cm) |      |    | Heater weight (kg) | Stone capacity (kg) (Ø5-10cm) | Safety distances (cm) |       |     |       |
|---------------|-------------------|-----------------|------|----|--------------------|-------------------------------|-----------------------|-------|-----|-------|
|               |                   | H               | W    | D  |                    |                               | Sides                 | Front | Top | Floor |
| 3kW           | 2-3               | 60              | 33.5 | 20 | 6                  | 20                            | 5                     | 5     | 90  | 15    |
| 3.6kW         | 2-4               |                 |      |    |                    |                               |                       |       |     |       |

Product codes:

913131 Narvi NS 450, black  
913130 Narvi NS 600, black  
913129 Narvi NS 900, black

913125 Narvi NS 450, bright stainless  
913124 Narvi NS 600, bright stainless  
913123 Narvi NS 900, bright stainless


Product codes:

163684 Narvi NS Mini 3.0kW, stainless  
163686 Narvi NS Mini 3.0kW, black  
163509 Narvi NS Mini 3.6kW, stainless  
163521 Narvi NS Mini 3.6kW, black

# NARVI SAANA

## OUR SALES HIT BOASTS IMPRESSIVE GRID PILLAR

Narvi Saana brings the stones to the fore. Owing to the stone capacity and the pillar-like shape of the heater, it stores heat well and ensures lasting and enjoyable steam. A separate control unit and accurate electronic temperature regulator make for easy use of the sauna heater and keep the temperature pleasantly even. Our most popular electric sauna heaters are hand-made at Lapinkylä, Rauma.



| NARVI<br>SAANA | Sauna volume<br>(m³) | Dimensions (cm) |    |    | Heater weight<br>(kg) | Stone capacity<br>(kg)<br>(Ø5–10cm) | Safety distances (cm) |       |     |      |       |
|----------------|----------------------|-----------------|----|----|-----------------------|-------------------------------------|-----------------------|-------|-----|------|-------|
|                |                      | H               | W  | D  |                       |                                     | Sides                 | Front | Top | Rear | Floor |
| 6.8kW          | 5–8                  | 93              | 32 | 30 | 10                    | 80                                  | 12                    | 12    | 97  | 12   | 3     |
| 9kW            | 8–14                 |                 |    |    |                       |                                     |                       |       |     |      |       |

Outer casing: painted black / stainless steel

Product codes:

903003 Narvi Saana 6.8kW, black  
903005 Narvi Saana 9.0kW, black  
903013 Narvi Saana 6.8kW, stainless  
903015 Narvi Saana 9.0kW, stainless

incl. separate control unit (with 3m cable) and thermostat


Accessories:

809050 Installation flange Saana, black, Ø52cm  
809053 Installation flange Saana, stainless, Ø52cm  
155602 Safety guard, dimensions 58x58cm  
154162 Base extension 22cm Saana, stainless  
809028 Control unit cable, 6-pin, 10m, grey

# NARVI SMOOTH

## HIGH PILLAR, SOFT STEAM

Narvi Smooth combines noble appearance with soft steam. The amount of stones contained in the high pillar mesh is impressive, but owing to its shape and modest safety distances, accommodating the heater in a sauna poses no problem. The removable front mesh at the upper part renders laying of the stones convenient. The colour options are black and steel. The heater comes with a separate control unit. Narvi Smooth sauna heaters are hand-made at Lapinkylä, Rauma.



| NARVI<br>SMOOTH | Sauna volume<br>(m³) | Dimensions (cm) |    |    | Heater weight<br>(kg) | Stone capacity (kg)<br>(Ø5–10cm) | Safety distances (cm) |       |     |      |       |
|-----------------|----------------------|-----------------|----|----|-----------------------|----------------------------------|-----------------------|-------|-----|------|-------|
|                 |                      | H               | W  | D  |                       |                                  | Sides                 | Front | Top | Rear | Floor |
| 6.8kW           | 5–8                  | 121             | 32 | 32 | 10                    | 100                              | 10                    | 10    | 70  | 10   | 3     |
| 9kW             | 8–14                 |                 |    |    |                       |                                  |                       |       | 90  |      |       |
| 10.5kW          | 10–18                |                 |    |    |                       |                                  |                       |       |     |      |       |

Outer casing: stainless steel or painted black

Product codes:

163286 Narvi Smooth 6.8kW  
155210 Narvi Smooth 9.0kW  
163290 Narvi Smooth 10.5kW

163559 Narvi Smooth 6.8kW, black  
163554 Narvi Smooth 9.0kW, black  
163560 Narvi Smooth 10.5kW, black  
incl. separate control unit (with 3m cable)  
and thermostat

Accessories:

163565 Installation flange Smooth, black, 56.5x56.5cm  
809025 Installation flange Smooth, stainless, 56.5x56.5cm  
809028 Control unit cable, 6-pin, 10m, grey  
155406 Safety guard, dimensions 58x58cm

# NARVI VELVET ELECTRIC

## BEAUTY WITHOUT COMPROMISES

Narvi Velvet Electric offers perfect sauna pleasures, neat appearance and unbeatable quality. The large stone capacity ensures lasting and relaxing steam. The heater's two-piece shell facilitates laying of the stones. Owing to the separate control unit, using the heater and adjusting the temperature is convenient. Narvi Velvet Electric sauna heaters are hand-made at Lapinkylä, Rauma.



| NARVI VELVET | Sauna volume (m³) | Dimensions (cm) |      |      | Heater weight (kg) | Stone capacity (kg) (Ø5-10cm) | Safety distances (cm) |       |     |      |       |
|--------------|-------------------|-----------------|------|------|--------------------|-------------------------------|-----------------------|-------|-----|------|-------|
|              |                   | H               | W    | D    |                    |                               | Sides                 | Front | Top | Rear | Floor |
| 6.8kW        | 5-8               | 116             | 35.2 | 35.2 | 21                 | 140                           | 12                    | 12    | 75  | 12   | 3     |
| 9kW          | 8-14              |                 |      |      |                    |                               | 10                    | 15    | 95  | 15   | 3     |
| 10.5kW       | 10-18             |                 |      |      |                    |                               |                       |       |     |      |       |

Product codes:

- 102430 Narvi Velvet Electric 6.8kW, black
- 102432 Narvi Velvet Electric 9.0kW, black
- 102434 Narvi Velvet Electric 10.5kW, black

Accessories:

- 809051 Installation flange Velvet Electric, black, 54x54cm
- 809028 Control unit cable, 6-pin, 10m, grey
- 155689 Safety guard, dimensions 58x58cm

incl. separate control unit (with 3m cable) and thermostat

# NARVI TRIO

## MODERN DESIGN AND EASY POSITIONING

Narvi Trio is a modern and personal sauna heater. Owing to its design readily fitting into a corner of the sauna and the short safety distance, it is an excellent choice even for a small space. The heater can also be embedded in the sauna bench using an installation flange. The combination of cast stone in the upper part and painted steel in the lower part perfectly matches both light and dark sauna interiors. Narvi Trio sauna heaters are hand-made at Lapinkylä, Rauma.



| NARVI TRIO | Sauna volume (m³) | Dimensions (cm) |      |      | Heater weight (kg) | Stone capacity (kg) (Ø5–10cm) | Safety distances (cm) |       |     |      |       |
|------------|-------------------|-----------------|------|------|--------------------|-------------------------------|-----------------------|-------|-----|------|-------|
|            |                   | H               | W    | D    |                    |                               | Sides                 | Front | Top | Rear | Floor |
| 6.8kW      | 5–8               | 100             | 39.5 | 39.5 | 40                 | 40                            | 5                     | 5     | 90  | 5    | 3     |
| 9kW        | 8–14              |                 |      |      |                    |                               |                       |       |     |      |       |

### Product codes:

163196 Narvi Trio 6.8kW, anthracite/white  
 163197 Narvi Trio 9.0kW, anthracite/white  
 163220 Narvi Trio 6.8kW, white  
 163221 Narvi Trio 9.0kW, white

### Accessories:

163204 Installation flange Trio, stainless, 50x50.3cm  
 809028 Control unit cable, 6-pin, 10m, grey

sis. erillisen ohjausyksikön (3m johdolla) ja termostaatin

# NARVI COMBI

## STEAMING HEAT FOR ELECTRICALLY HEATED SAUNA

Narvi Combi is a Finnish-made electric heater and steam engine combined. It gives a top-class spa experience with its captivating appearance and great amount of stones. The heater is floorstanding, and it can be equipped with a safety guard. The heater is made to last heavy use in demanding conditions.

The functions of the sauna heater and steam engine are controlled by a separate control panel. There are also two separate sensors, which makes sure that the desired temperature and humidity stay desired in the sauna.

Suitable Sauna control unit, which is bought separately, is Narvi Dual. Control unit and sensors are not included.

Optional wooden heater guard is made of pine.



| NARVI<br>COMBI | Sauna volume (m³) | Dimensions (cm) |    |    | Heater weight<br>(kg) | Stone capacity<br>(kg)<br>(Ø5–10cm) | Safety distances (cm) |       |     |      |
|----------------|-------------------|-----------------|----|----|-----------------------|-------------------------------------|-----------------------|-------|-----|------|
|                |                   | H               | W  | D  |                       |                                     | Sides                 | Front | Top | Rear |
| 9kW            | 8–12              | 93              | 45 | 45 | 64                    | 50                                  | 5                     | 5     | 115 | 5    |
| 10.5kW         | 9–15              |                 |    |    |                       |                                     |                       |       |     |      |

Outer casing: stainless steel

Product codes:

163641    Narvi Combi 9.0kW  
157039    Narvi Combi 10.5kW

Accessories:

157190    Safety guard Narvi Combi, stained pine, dimensions

incl. separate control unit (with 10m cable)

# NARVI PEAK & PEAK BIG



Narvi Peak



Narvi Peak Big

## FIRST-CLASS SPA EXPERIENCES

Narvi Peak impresses with its appearance and massive stone capacity. The round Narvi Peak or oval Peak Big floorstanding heater can be positioned in the sauna in many different ways. The heater is made to withstand intensive use and is therefore a solid choice for homes, spas, housing associations and gyms alike. The scope of delivery does not include a control unit. Narvi Peak sauna heaters are hand-made at Lapinkylä, Rauma.



| NARVI<br>PEAK | Sauna volume<br>(m³) | Dimensions (cm) |      |      | Heater weight<br>(kg) | Stone capacity (kg)                                                  | Safety distances (cm) |       |     |
|---------------|----------------------|-----------------|------|------|-----------------------|----------------------------------------------------------------------|-----------------------|-------|-----|
|               |                      | H               | W    | D    |                       |                                                                      | Sides                 | Front | Top |
| 9kW           | 8–12                 | 69              | 58.5 | 58.5 | 26                    | 100                                                                  | 10                    | 10    | 140 |
| 10.5kW        | 9–15                 |                 |      |      |                       | 40kg of Ø5–10cm stove stones<br>and 60kg of Ø10–15cm stove<br>stones |                       |       |     |
| 12kW          | 10–18                |                 |      |      |                       |                                                                      |                       |       |     |
| 15kW          | 14–24                |                 |      |      |                       |                                                                      |                       |       |     |

Product codes:

163609 Narvi Peak 9.0kW  
163610 Narvi Peak 10.5kW

163611 Narvi Peak 12.0kW  
163612 Narvi Peak 15.0kW

Accessories:

157072 Safety guard Narvi Peak, stained pine, Ø77.5cm

| NARVI<br>PEAK BIG | Sauna volume<br>(m³) | Dimensions (cm) |    |      | Heater weight<br>(kg) | Stone capacity (kg)                                                   | Safety distances (cm) |       |     |
|-------------------|----------------------|-----------------|----|------|-----------------------|-----------------------------------------------------------------------|-----------------------|-------|-----|
|                   |                      | H               | W  | D    |                       |                                                                       | Sides                 | Front | Top |
| 18kW              | 18–30                | 69              | 95 | 58.5 | 49                    | 180                                                                   | 15                    | 15    | 150 |
| 21kW              | 24–36                |                 |    |      |                       | 60kg of Ø5–10cm stove stones<br>and 120kg of Ø10–15cm stove<br>stones |                       |       |     |
| 24kW              | 27–40                |                 |    |      |                       |                                                                       |                       |       |     |
| 27kW              | 30–46                |                 |    |      |                       |                                                                       |                       |       |     |
| 30kW              | 40–56                |                 |    |      |                       |                                                                       |                       |       |     |

Product codes:

163613 Narvi Peak Big 18.0kW  
163614 Narvi Peak Big 21.0kW  
163615 Narvi Peak Big 24.0kW

163616 Narvi Peak Big 27.0kW  
163617 Narvi Peak Big 30.0kW

Accessories:

157073 Safety guard Narvi Peak Big, stained pine, 114.5x77.5cm

# NARVI ULTRA SMALL

## DURABLE HEATERS FOR AVID SAUNA-GOERS

Narvi Ultra Small is a great choice for enthusiastic sauna-goers and small and medium-sized saunas. The extremely durable heater also excellently performs in public saunas. The inner heater components are made of stainless steel and its heating elements are extra durable. The heater stands firmly on its feet and requires modest safety distances. The scope of delivery does not include a control unit. Narvi Ultra Small sauna heaters are hand-made at Lapinkylä, Rauma.



| NARVI<br>ULTRA<br>SMALL | Sauna volume<br>(m³) | Dimensions (cm) |    |    | Heater weight<br>(kg) | Stone capacity (kg)<br>(Ø5–10cm) | Safety distances (cm) |       |     |      |       |
|-------------------------|----------------------|-----------------|----|----|-----------------------|----------------------------------|-----------------------|-------|-----|------|-------|
|                         |                      | H               | W  | D  |                       |                                  | Sides                 | Front | Top | Rear | Floor |
| 6kW                     | 5–8                  | 68              | 44 | 30 | 15                    | 30                               | 5                     | 8     | 130 | 8    | 4     |
| 9kW                     | 8–14                 |                 |    |    |                       |                                  | 10                    | 8     |     |      |       |

Outer casing: stainless steel and painted black

Product codes:

- 163313 Narvi Ultra Small 6.0kW, black
- 163312 Narvi Ultra Small 9.0kW, black
- 163294 Narvi Ultra Small 6.0kW, stainless
- 165089 Narvi Ultra Small 9.0kW, stainless

Accessories:

- 906001 Control unit Ultra T-2003, 24-hour timer, for 6.0-15.0kW heaters
- 906002 Control unit Ultra B-2003, week timer, for 6.0-15.0kW heaters
- 154413 Control unit Narvi N2014E, max. 10.5kW
- 163490 Safety guard Ultra Small, 45.5x53.8cm

# NARVI ULTRA & ULTRA BIG



Narvi Ultra



Narvi Ultra Big

## FOR LARGE SAUNAS AND INTENSIVE USE

Narvi Ultra heaters are designed for large saunas and withstand intensive use. The heaters are made from corrosion and wear-resistant stainless steel and come with particularly durable heating elements. Because of this, the Ultra heater is a reliable choice for intensive use, such as for the saunas of housing associations, swimming pools and gyms. The scope of delivery does not include a control unit. Narvi Ultra sauna heaters are hand-made at Lapinkylä, Rauma.

| NARVI<br>ULTRA | Sauna volume<br>(m³) | Dimensions (cm) |    |    | Heater weight<br>(kg) | Stone capacity<br>(kg)<br>(Ø5–10cm) | Safety distances (cm) |       |     |      |       |
|----------------|----------------------|-----------------|----|----|-----------------------|-------------------------------------|-----------------------|-------|-----|------|-------|
|                |                      | H               | W  | D  |                       |                                     | Sivulle               | Front | Top | Rear | Floor |
| 9kW            | 8–12                 | 68              | 44 | 49 | 20                    | 50                                  | 12                    | 15    | 140 | 15   | 6.8   |
| 10.5kW         | 9–15                 |                 |    |    |                       |                                     | 16                    | 15    | 140 | 15   | 6.8   |
| 12kW           | 10–18                |                 |    |    |                       |                                     |                       |       |     |      |       |
| 15kW           | 14–24                |                 |    |    |                       |                                     |                       |       |     |      |       |

Outer casing: stainless steel or painted black

Product codes:

|        |                           |        |                               |
|--------|---------------------------|--------|-------------------------------|
| 163375 | Narvi Ultra 9.0kW, black  | 908001 | Narvi Ultra 9.0kW, stainless  |
| 163376 | Narvi Ultra 10.5kW, black | 908002 | Narvi Ultra 10.5kW, stainless |
| 163377 | Narvi Ultra 12.0kW, black | 908003 | Narvi Ultra 12.0kW, stainless |
| 163378 | Narvi Ultra 15.0kW, black | 908004 | Narvi Ultra 15.0kW, stainless |

Accessories:

|        |                                                                  |
|--------|------------------------------------------------------------------|
| 906001 | Control unit Ultra T-2003, 24-hour timer, for 6.0-15.0kW heaters |
| 906002 | Control unit Ultra B-2003, week timer, for 6.0-15.0kW heaters    |
| 163487 | Safety guard Ultra, 59.2x64.2cm                                  |

| ULTRA<br>BIG | Sauna volume<br>(m³) | Dimensions (cm) |    |    | Heater weight<br>(kg) | Stone capacity<br>(kg)<br>(Ø5–10cm) | Safety distances (cm) |       |     |      |       |
|--------------|----------------------|-----------------|----|----|-----------------------|-------------------------------------|-----------------------|-------|-----|------|-------|
|              |                      | H               | W  | D  |                       |                                     | Sivulle               | Front | Top | Rear | Floor |
| 18kW         | 18–30                | 68              | 86 | 49 | 50                    | 120                                 | 16                    | 20    | 140 | 20   | 6.8   |
| 21kW         | 24–36                |                 |    |    |                       |                                     |                       |       |     |      |       |
| 24kW         | 27–40                |                 |    |    |                       |                                     |                       |       |     |      |       |
| 27kW         | 30–46                |                 |    |    |                       |                                     | 20                    | 20    | 150 | 20   | 6.8   |
| 30kW         | 40–56                |                 |    |    |                       |                                     |                       |       |     |      |       |

Outer casing: stainless steel or painted black

Product codes:

|        |                               |        |                                   |
|--------|-------------------------------|--------|-----------------------------------|
| 163604 | Narvi Ultra Big 18.0kW, black | 908005 | Narvi Ultra Big 18.0kW, stainless |
| 163605 | Narvi Ultra Big 21.0kW, black | 908006 | Narvi Ultra Big 21.0kW, stainless |
| 163606 | Narvi Ultra Big 24.0kW, black | 908007 | Narvi Ultra Big 24.0kW, stainless |
| 163607 | Narvi Ultra Big 27.0kW, black | 908008 | Narvi Ultra Big 27.0kW, stainless |
| 163608 | Narvi Ultra Big 30.0kW, black | 908009 | Narvi Ultra Big 30.0kW, stainless |

Accessories:

|        |                                                            |
|--------|------------------------------------------------------------|
| 906004 | Control unit Ultra Big C-2003 (requires power unit 906005) |
| 906005 | Power unit Ultra Big F-2003, 18–33kW                       |

# NARVI INFRARED

## WELL-BEING WITH GENTLE HEAT

The health-promoting effects of infrared radiation are comparable to those of a traditional sauna. For example, it accelerates metabolism, improves blood circulation, helps recovery after physical exercise, and relieves pain.

Infrared heaters can be installed in the sauna or in a separate infrared room. One or more elements can be installed in the same room.



| NARVI INFRARED | Power | Voltage  | Dimensions (cm) |    |      | Required cut-out (cm) | Safety distances (cm)   |       |     |      |       |
|----------------|-------|----------|-----------------|----|------|-----------------------|-------------------------|-------|-----|------|-------|
|                |       |          | H               | W  | D    |                       | Sides / Between heaters | Front | Top | Rear | Floor |
| irl-350        | 350 W | 230 V AC | 67.7            | 18 | 6.65 | 15.1 x 66.6           | 15                      | 40    | 20  | 15   | 20    |
| irl-500        | 500 W | 230 V AC | 83.6            | 18 | 6.65 | 15.1 x 82.5           |                         |       |     |      |       |
| irl-700        | 750 W | 230 V AC | 83.6            | 18 | 6.65 | 15.1 x 82.5           | 15                      | 45    | 20  | 15   | 20    |

Product codes:

IR350    Narvi Infrared irl-350  
IR500    Narvi Infrared irl-500  
IR750    Narvi Infrared irl-700

Accessories:

IR-IC1500    Control unit Infrared heater Smart 1x1500W  
IR-IC1        Control unit Infrared heater 2x800W

# CONTROL UNITS

All Narvi electric heaters (excluding Narvi Steam Ready) are also available without a control unit. For these so-called E-models, the preferred control unit is to be acquired separately. The heaters can thus be connected to the desired control unit.



## NARVI BASIC

A simple control unit with on/off switch, light switch and temperature adjustment. The control unit can be used to adjust the heating power of the heater. The heater automatically switches off after the operating time expires (factory setting 1h). The operating time and maximum temperature are adjustable in connection with installation.



## NARVI N2014E

Narvi N2014E is the standard control unit for many of our electrical heaters. The control unit is supplied with all the necessary components: the unit, a power board in a separate housing, a temperature sensor, and the cable for connecting the heater and the control unit. The control unit can be located inside or outside the sauna. The standard cable is 3m long; a 10m cable for the control unit can be ordered as an accessory. The temperature sensor cable is 5m long. For max. 10.5kW heaters.



## NARVI T-2003 & B-2003

Sauna control units for 9-15kW heaters. Both products come with a control unit and a power board in the same housing and an external temperature sensor. Mechanical light switch (max. 100W). Narvi T-2003 has a 24h pre-set timing function, while B-2003 has 7 memory slots for week-based programming.



## NARVI C-2003 + F-2003

Narvi C-2003 is a control unit for 18-33kW electric heaters with a week timer function, which is intended for public saunas. Narvi C-2003 needs an additional power unit to operate (Narvi F-2003).

The scope of delivery includes an external temperature sensor. Narvi C-2003 and the power unit F-2003 are located outside the sauna.



## NARVI DUAL

The Narvi Dual control unit intended for Combi heaters can be used to control both the temperature and humidity in the sauna. The lighting and ventilation settings can also be controlled step by step.

The scope of delivery includes the unit, a power board in a separate housing, a temperature sensor, and an air humidity sensor. The control unit is also compatible with other max. 10.5kW electric heaters.

# Wood-burning sauna stoves



|                                       |    |
|---------------------------------------|----|
| NARVI NC                              | 34 |
| NARVI NC VSV / VSO                    | 35 |
| NARVI STONY                           | 36 |
| NARVI VELVET                          | 37 |
| NARVI BLACK                           | 38 |
| NARVI 30 / 50                         | 39 |
| NARVI STEAM MASTER                    | 40 |
| KOTA LUOSTO / INARI PRODUCT SERIES    | 41 |
| KOTA INARI & INARI PLUS               | 42 |
| KOTA LUOSTO                           | 43 |
| KOTA LUOSTO VS                        | 44 |
| KOTA KURU                             | 45 |
| SAUNA CHIMNEYS                        | 46 |
| KOTA CAULDRONS                        | 48 |
| KOTA SMOKER                           | 49 |
| ADDITIONAL COMPONENTS AND ACCESSORIES | 50 |
| NARVI GARDEN SAUNA KIT                | 52 |

# NARVI NC

## PREMIUM FEATURES AND TIMELESS DESIGN

The minimalist design and well-considered details of Narvi NC sauna stoves meet the expectations of quality and style-conscious sauna-goers. The corrosion-resistant outer casing is available in discreet matte black or steel finish. Wooden handles create a fascinating contrast. The stone compartment's unique flue system maximizes contact with the stones and the design of the stove supports efficient and environmentally friendly combustion. The stove heats up quickly even with a small amount of wood. For a wood-burning stove, the safety distances of Narvi NC are modest. The stove guarantees a perfect sauna experience with smooth steam – without compromising on style. Narvi NC sauna stoves are hand-made at Lapinkylä, Rauma.



| NARVI NC | Sauna volume (m³) | Dimensions (cm) |    |    | Heater weight (kg) | Stone capacity (kg) (Ø10–15cm) | Flue outlet diameter (cm) | Flue outlet bottom edge height from floor (cm) | Safety distances (cm) |       |     |      |
|----------|-------------------|-----------------|----|----|--------------------|--------------------------------|---------------------------|------------------------------------------------|-----------------------|-------|-----|------|
|          |                   | H               | W  | D  |                    |                                |                           |                                                | Sides                 | Front | Top | Rear |
| 16       | 8–16              | 78              | 50 | 58 | 72                 | 50                             | 11.9                      | 59.5                                           | 15                    | 50    | 125 | 15   |
| 20       | 8–20              | 80              | 54 | 58 | 76                 | 60                             |                           | 122.5                                          |                       |       | 120 |      |
| 24       | 10–24             | 82              | 58 | 58 | 82                 | 80                             |                           | 63.5                                           |                       |       | 120 |      |

Outer casing: painted black or brushed stainless steel.  
Wooden handles, 10mm fire chamber ceiling thickness, adjustable feet (±1.5cm)

Product codes:

|        |             |        |                        |
|--------|-------------|--------|------------------------|
| 102312 | Narvi NC 16 | 102311 | Narvi NC 16, stainless |
| 102313 | Narvi NC 20 | 102314 | Narvi NC 20, stainless |
| 102315 | Narvi NC 24 |        |                        |

# NARVI NC VSV / VSO

## PREMIUM SAUNA STOVE WITH WATER TANK

The stylish Narvi NC 20 is also available with a 23-litre water tank. The tank configuration (on the right or left side of the stove) is selectable. The water is heated while the stove warms up for a sauna session.



| NARVI NC<br>VSV/VSO | Sauna volume<br>(m³) | Dimensions (cm) |    |    | Heater<br>weight (kg) | Stone capacity<br>(kg)<br>(Ø10–15cm) | Flue outlet<br>diameter (cm) | Flue outlet bottom<br>edge height from<br>floor (cm) | Safety distances (cm) |       |     |      |
|---------------------|----------------------|-----------------|----|----|-----------------------|--------------------------------------|------------------------------|------------------------------------------------------|-----------------------|-------|-----|------|
|                     |                      | H               | W  | D  |                       |                                      |                              |                                                      | Sides                 | Front | Top | Rear |
| 20                  | 8–20                 | 74              | 59 | 57 | 80                    | 50                                   | 11.9                         | 54.5                                                 | 15                    | 50    | 125 | 15   |

Outer casing: painted black, adjustable feet (±1.5cm), wooden handles, 10mm fire chamber ceiling thickness

Product codes:

- 102325 Narvi NC 20 VSO
- 102326 Narvi NC 20 VSV

# NARVI STONY

## BE IMPRESSED OVER AND OVER AGAIN

Narvi Stony is a sauna stove inspired by the feel of smoke and single-heat saunas. It ensures perfect, moist steam. The stove's impressive steel casing reveals an exceptionally large amount of stones to generate even heat. The double bottom keeps the stove stones off the floor and there is no need for a separate installation base. A tunnel version of the stove is also available, in which case heating up the sauna from outside also sets the mood in the changing room or in the yard. Narvi Stony sauna stoves are hand-made at Lapinkylä, Rauma.



| NARVI<br>STONY | Sauna volume<br>(m³) | Dimensions<br>(cm) |    |    | Heater<br>weight (kg) | Stone capacity (kg) |          | Flue outlet<br>diameter<br>(cm) | Flue outlet bottom<br>edge height from<br>floor (cm) | Safety distances (cm) |       |     |      |
|----------------|----------------------|--------------------|----|----|-----------------------|---------------------|----------|---------------------------------|------------------------------------------------------|-----------------------|-------|-----|------|
|                |                      | H                  | W  | D  |                       | Ø5–10cm             | Ø10–15cm |                                 |                                                      | Sides                 | Front | Top | Rear |
|                |                      | 81                 | 52 | 55 |                       | 60                  | 150      |                                 |                                                      | 15                    | 50    | 122 | 20   |

Outer casing: painted black or stainless steel.  
Adjustable feet (±1.5cm), wooden handles, 10mm fire chamber ceiling, double base.

Product codes:

- 163030 Narvi Stony 20, black
- 163031 Narvi Stony 20, stainless
- 163041 Narvi Stony 20 tunnel, stainless

# NARVI VELVET

## VELVET FOR ALL THE SENSES

Narvi Velvet on suomalaisen käsityön taidonnäyte – yhdistelmä lölynautintoa, näyttävyyttä ja laatua. Kiukaan lasiluukku luo lölytilaan lämmintä tunnelmaa, ja puiset kahvat lisäävät käyttömukavuutta. Kiukaassa on vaihdettava tulipesä, joka tekee siitä pitkäikäisen ja ekologisen valinnan. Narvi Velvet valmistetaan käsityönä Rauman Lapinkylässä.



| NARVI<br>VELVET | Sauna volume<br>(m³) | Dimensions<br>(cm) |    |    | Heater<br>weight (kg) | Stone capacity (kg) |          | Flue outlet<br>diameter<br>(cm) | Flue outlet bottom<br>edge height from<br>floor (cm) | Safety distances (cm) |       |     |      |
|-----------------|----------------------|--------------------|----|----|-----------------------|---------------------|----------|---------------------------------|------------------------------------------------------|-----------------------|-------|-----|------|
|                 |                      | H                  | W  | D  |                       | Ø5-10cm             | Ø10-15cm |                                 |                                                      | Sides                 | Front | Top | Rear |
|                 | 8-20                 | 78                 | 54 | 58 | 89                    | 100                 | 60       | 11.9                            | 60                                                   | 15                    | 50    | 122 | 20   |

Outer casing: painted black.

Adjustable feet ( $\pm 1.5$ cm), wooden handles, 10mm fire chamber ceiling, double base.

Product codes:

102415 Narvi Velvet 20, black

# NARVI BLACK

## A CLASSIC FOR GENUINE SAUNA ATMOSPHERE

The timeless design of the wood-burning Narvi Black sauna stove has been implemented using durable materials. The bevelled corners of the outer casing, the horizontal stripes on the front and the matte tone create a stylish look. The sauna stove is designed and manufactured in Finland.

The large stone capacity of the stove improves the sauna experience by providing smooth and pleasant steam. The cast iron door with a large glass window creates a cosy atmosphere. The sturdy door does not warp during use and is equipped with a wooden handle for user comfort.



| NARVI BLACK | Sauna volume (m³) | Dimensions (cm) |    |    | Heater weight (kg) | Stone capacity (kg) (Ø10-15cm) | Flue outlet diameter (cm) | Flue outlet bottom edge height from floor (cm) | Safety distances *) (cm) |       |     |      |
|-------------|-------------------|-----------------|----|----|--------------------|--------------------------------|---------------------------|------------------------------------------------|--------------------------|-------|-----|------|
|             |                   | H               | W  | D  |                    |                                |                           |                                                | Sides                    | Front | Top | Rear |
| 16          | 8-16              | 76              | 40 | 50 | 59                 | 50                             | 11.9                      | 56                                             | 30                       | 50    | 127 | 20   |
| 20          | 10-20             | 76              | 48 | 50 | 66                 | 60                             |                           |                                                |                          |       |     |      |
| 20 VS       | 10-20             | 76              | 48 | 66 | 77                 | 60                             |                           |                                                |                          |       |     |      |
| 24          | 12-24             | 76              | 55 | 50 | 68                 | 80                             |                           |                                                |                          |       |     |      |

Outer casing: painted black.  
Wooden handles, 10mm fire chamber ceiling thickness, adjustable feet (±1.5cm)  
Narvi Black 20 VS water tank volume 22L.

\*) To combustibile materials  
Leaving a 100cm maintenance space in front of the stove is recommended.

Product codes:

|        |                                     |        |                          |
|--------|-------------------------------------|--------|--------------------------|
| 155526 | Narvi Black 16                      | 155521 | Narvi Black 20 ST Tunnel |
| 155509 | Narvi Black 20                      | 155532 | Narvi Black 24           |
| 155515 | Narvi Black 20 VS (with water tank) |        |                          |

# NARVI 30 / 50

## MIGHTY STEAMERS FOR LARGE SAUNAS

The top-class and eye-catching Narvi 30 and 50 sauna stoves bring quality steam to larger saunas accommodating lots of sauna-goers. These stoves withstand heavy use with flying colours. You can marvel at the glow of the fire through the cast-iron glazed door. In case of the tunnel version, instead of the sauna, the fireplace atmosphere can be enjoyed in the changing room or in the yard. Narvi 30 and 50 sauna stoves are hand-made at Lapinkylä, Rauma.



Tunnel version

| NARVI<br>30/50 | Sauna volume<br>(m³) | Dimensions (cm) |      |    | Heater<br>weight (kg) | Stone capacity<br>(kg)<br>(Ø10-15cm) | Flue outlet<br>diameter (cm) | Flue outlet bottom<br>edge height from<br>floor (cm) | Safety distances (cm) |       |     |      |
|----------------|----------------------|-----------------|------|----|-----------------------|--------------------------------------|------------------------------|------------------------------------------------------|-----------------------|-------|-----|------|
|                |                      | H               | W    | D  |                       |                                      |                              |                                                      | Sides                 | Front | Top | Rear |
| 30             | 25-35                | 95              | 53.5 | 67 | 150                   | 60                                   | 11.9                         | 71                                                   | 30                    | 50    | 125 | 30   |
| 50             | 45-70                | 110             | 67   | 85 | 275                   | 100                                  | 14.5                         | 174 *)                                               | 50                    | 100   | 125 | 50   |

Outer casing: black, painted steel. Large cast iron doors.

Fire chamber ceiling, Narvi 30: 10mm, Narvi 50: 15mm

\*) Connection at the top of the sauna stove. A 60° connection pipe is included.

Product codes:

|        |                 |        |                 |
|--------|-----------------|--------|-----------------|
| 102033 | Narvi 30        | 102034 | Narvi 50        |
| 102207 | Narvi 30 tunnel | 102208 | Narvi 50 tunnel |

# NARVI STEAM MASTER

## A CLASSIC FOR GENUINE SAUNA ATMOSPHERE

Narvi Steam Master creates that genuine sauna atmosphere – perhaps this is the reason why our classic model has many devoted friends. Owing to the stove’s heat-storing system, heat accumulates efficiently in the large stone compartment and does not dry the air in the sauna. You can enjoy the blaze of the fire through the glazed door. The Steam Master is an efficient and long-lasting, clean-burning source of juicy steam. Narvi Steam Master sauna stoves are hand-made at Lapinkylä, Rauma.



| NARVI<br>LÖYLY-<br>MESTARI | Sauna volume<br>(m³) | Dimensions (cm) |    |    | Heater<br>weight (kg) | Stone capacity<br>(kg)<br>(Ø10–15cm) | Flue outlet<br>diameter (cm) | Flue outlet bottom<br>edge height from<br>floor (cm) | Safety distances (cm) |       |     |      |
|----------------------------|----------------------|-----------------|----|----|-----------------------|--------------------------------------|------------------------------|------------------------------------------------------|-----------------------|-------|-----|------|
|                            |                      | H               | W  | D  |                       |                                      |                              |                                                      | Sides                 | Front | Top | Rear |
| 20                         | 10–25                | 100             | 47 | 52 | 115                   | 100                                  | 11.9                         | 78.5                                                 | 25                    | 50    | 130 | 25   |

Outer casing: painted steel and stainless. Fire chamber lined with firebricks.  
Adjustable feet, 10mm fire chamber ceiling.

Product codes:

102029    Steam Master

# KOTA LUOSTO / INARI PRODUCT SERIES



ONE BASE FRAME,  
FOUR DIFFERENT STOVES!

KOTA LUOSTO FRAME 2144



BLACK PAINTED  
SHELL  
2120M-022



WATER TANK  
2510



UPPER STONE CAGE  
2143-020



LOWER STONE CAGE  
163315



KOTA LUOSTO  
2142



KOTA LUOSTO VS  
2145



KOTA INARI  
2143



KOTA INARI PLUS  
2152

# KOTA INARI & INARI PLUS

## FEELING, STYLE AND DURABILITY

Stylish design and the famed durability of Kota sauna stoves meet in Kota Inari. The impressive amount of stones produces smooth steam, the robust ceiling of the fire chamber ensures long service life. The stove's carbon dioxide emissions are low (0.11%). The beautiful wooden handle of the door provides for ease of use. The stone cages are available separately, so you can convert an existing Kota L or Kota Luosto stove into a Kota Inari or Kota Inari Plus. Kota Inari sauna stoves are hand-made at Lapinkylä, Rauma.



Kota Inari Plus (with bottom grid shell)



Kota Inari

| KOTA<br>INARI | Sauna volume<br>(m³) | Dimensions<br>(cm) |          | Heater<br>weight (kg) | Stone capacity (kg) |          | Flue outlet<br>diameter<br>(cm) | Flue outlet bottom<br>edge height from<br>floor (cm) | Safety distances (cm) |       |     |      |
|---------------|----------------------|--------------------|----------|-----------------------|---------------------|----------|---------------------------------|------------------------------------------------------|-----------------------|-------|-----|------|
|               |                      | H                  | Diameter |                       | Ø5-10cm             | Ø10-15cm |                                 |                                                      | Sides                 | Front | Top | Rear |
|               |                      | 77                 | 55       |                       | 40                  | 20       |                                 |                                                      | 30                    | 50    | 128 | 35   |

| KOTA<br>INARI<br>PLUS | Sauna volume<br>(m³) | Dimensions<br>(cm) |          | Heater<br>weight (kg) | Stone capacity (kg) |          | Flue outlet<br>diameter<br>(cm) | Flue outlet bottom<br>edge height from<br>floor (cm) | Safety distances (cm) |       |     |      |
|-----------------------|----------------------|--------------------|----------|-----------------------|---------------------|----------|---------------------------------|------------------------------------------------------|-----------------------|-------|-----|------|
|                       |                      | H                  | Diameter |                       | Ø5-10cm             | Ø10-15cm |                                 |                                                      | Sides                 | Front | Top | Rear |
|                       |                      | 77                 | 55       |                       | 70                  | 20       |                                 |                                                      | 30                    | 50    | 128 | 35   |

Frame outer casing: painted.  
10mm fire chamber ceiling thickness, adjustable feet (±1.5cm),  
wooden handle.

Product codes:

2144 Kota Luosto, frame without shell  
2143-020 Grid shell, top (Kota Inari)  
163315 Grid shell, bottom (Kota Inari Plus)

2143 Kota Inari  
2152 Kota Inari Plus

\*) flue outlet bottom edge from floor 84cm with 90° connection pipe.  
\*\*) for 55cm rear connection, an opening can be made in the stone cage by cutting away three steel strips from the cage.

# KOTA LUOSTO



## A CLASSIC REBORN

Kota Luosto is a new interpretation of the classic Kota sauna stoves. The stove is a perfect choice for avid sauna-goers, as it heats up quickly with a small amount of wood. Owing to its round shape, the stove is extremely durable and easy to install in virtually any sauna. By combining the frame with different top parts, the stove can be given new looks and ways of use. The glass door sets the mood and makes it easy to keep the fire even. Kota Luosto sauna stoves are hand-made at Lapinkylä, Rauma.



| KOTA<br>LUOSTO | Sauna volume<br>(m³) | Dimensions (cm) |          | Heater<br>weight (kg) | Stone capacity<br>(kg)<br>(Ø10–15cm) | Flue outlet<br>diameter (cm) | Flue outlet bottom<br>edge height from<br>floor (cm) | Safety distances (cm) |       |     |      |
|----------------|----------------------|-----------------|----------|-----------------------|--------------------------------------|------------------------------|------------------------------------------------------|-----------------------|-------|-----|------|
|                |                      | H               | Diameter |                       |                                      |                              |                                                      | Sides                 | Front | Top | Rear |
|                | 8–20                 | 75              | 50       | 47                    | 35                                   | 11.9                         | 55                                                   | 30                    | 50    | 128 | 35   |

Frame outer casing: painted.  
10mm fire chamber ceiling thickness, adjustable feet (±1.5cm), wooden handle.

Product codes:

- 2144      Kota Luosto, frame without shell
- 2120M-022      black enamelled shell
- 2142      Kota Luosto

# KOTA LUOSTO VS

## A CLASSIC WITH A WATER TANK

Kota Luosto VS is a familiar classic sauna stove that comes with a water tank equipped with a faucet. A large, 30-litre water tank is installed around the stove. The heating of the water can be adjusted using adjustment plates. The position of the faucet is adjusted by rotating the water tank.



| KOTA<br>LUOSTO<br>VS | Sauna volume<br>(m³) | Dimensions (cm) |          | Heater<br>weight (kg) | Stone capacity<br>(kg)<br>(Ø10–15cm) | Flue outlet<br>diameter (cm) | Flue outlet bottom<br>edge height from<br>floor (cm) | Safety distances (cm) |       |     |      |
|----------------------|----------------------|-----------------|----------|-----------------------|--------------------------------------|------------------------------|------------------------------------------------------|-----------------------|-------|-----|------|
|                      |                      | H               | Diameter |                       |                                      |                              |                                                      | Sides                 | Front | Top | Rear |
|                      | 8–20                 | 75              | 60       | 54                    | 35                                   | 11.9                         | 84 *)                                                | 30                    | 50    | 128 | 35   |

Frame outer casing: painted.  
10mm fire chamber ceiling thickness, adjustable feet (±1.5cm), wooden handle.

\*) Connection to the flue from the top of the stove.  
The value applies if the stove is connected to the flue using a 90° connection pipe.

Product codes:

- 2144 Kota Luosto, frame without shell
- 2510 Kota round water tank (Kota Luosto VS and VR)
- 2145 Kota Luosto VS

# KOTA KURU

## ANGULAR MOOD CREATOR



Kota Kuru is a high-quality basic sauna stove with premium features and angular appearance. The black sides and sturdy wooden handle stand out on the background of the stove's otherwise discreet design language, giving it an attractive look. The blaze of the fire visible through the glass door creates a cosy mood in the sauna. Kota Kuru replaces the classic Mirva stove. As its connection dimensions are the same, Kuru is easy to install in place of Mirva. In addition to the basic model, Kota Kuru 20 is available with front and side water tank (front tank capacity 16 litres, side tank 18 litres). Kota Kuru 14 is available in the tunnel version for heating from outside the sauna. Kota Kuru sauna stoves are hand-made at Lapinkylä, Rauma.



Kota Kuru 20 VSE,  
Kota Kuru 20 VSV,  
Kota Kuru 20 VSO



Tunnel version

| KOTA KURU | Sauna volume (m³) | Dimensions (cm) |    |      | Heater weight (kg) | Stone capacity (kg) (Ø10–15cm) | Flue outlet diameter (cm) | Flue outlet bottom edge height from floor (cm) | Safety distances (cm) |       |     |      |
|-----------|-------------------|-----------------|----|------|--------------------|--------------------------------|---------------------------|------------------------------------------------|-----------------------|-------|-----|------|
|           |                   | H               | W  | D    |                    |                                |                           |                                                | Sides                 | Front | Top | Rear |
| 14        | 8–14              | 67.5            | 42 | 47.5 | 84                 | 35                             | 11.9                      | 50                                             | 25                    | 50    | 135 | 25   |
| 20        | 10–20             | 67.5            | 46 | 47.5 | 95                 | 40                             | 11.9                      | 50                                             | 25                    | 50    | 135 | 25   |
| 20 VSE    | 10–20             | 67.5            | 46 | 64   | 105                | 40                             | 11.9                      | 50                                             | 25                    | 50    | 135 | 25   |
| 20 VSV    | 10–20             | 67.5            | 59 | 47.5 | 100                | 40                             | 11.9                      | 50                                             | 25                    | 50    | 135 | 25   |
| 20 VSO    | 10–20             | 67.5            | 59 | 47.5 | 100                | 40                             | 11.9                      | 50                                             | 25                    | 50    | 135 | 25   |

Outer casing: painted steel/stainless. Fire chamber ceiling, Kuru 14: 4mm, Kuru 20: 6mm, wooden handles, adjustable feet (±1.5cm), configuration of the front water tank can be switched

### Product codes:

|        |                     |        |                  |
|--------|---------------------|--------|------------------|
| 2146   | Kota Kuru 14        | 163404 | Kota Kuru 20 VSV |
| 163042 | Kota Kuru 14 tunnel | 163402 | Kota Kuru 20 VSO |
| 2147   | Kota Kuru 20        | 155979 | Kota Kuru 20 VSE |

### Accessories:

|        |                                                                                                                                                                              |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 163602 | 163602 Kota Kuru 14-20 protective wall set, black<br>Not suitable for stoves with side water tank<br>Width: Kuru 14, 52.5cm / Kuru 20, 56.5cm<br>Depth: 55.5cm, Height: 70cm |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# SAUNA CHIMNEYS

## NARVI SAUNA CHIMNEY - A COMPLETE CHIMNEY KIT FOR WOOD-BURNING SAUNA STOVES

Narvi Sauna Chimney is our complete kit that can be connected to most of our wood-burning sauna stoves.

The chimney will be connected to the sauna stove with an uninsulated stainless steel flue, which is continued with the thicker insulated flue. This can be safely installed through the ceiling.

The package contains insulation material for the area between ceiling and roof, and a smoke valve.

Extra height can be added with extension parts (30, 60 and 120cm).

Uninsulated flue is extra thick (1mm). This will add safety and durability. The chimney is T600- approved. Full length for the chimney is 2.5m.

Can be connected to Ø115 sauna stoves with adapter 6015-111.



Narvi Sauna Chimney 6015

| SAUNA CHIMNEY | Inner pipe diameter (cm) | Outer pipe diameter (cm) | Extensions, insulated (cm) | Connection pipes, non-insulated (cm) | Safety distances (cm) |                                 |
|---------------|--------------------------|--------------------------|----------------------------|--------------------------------------|-----------------------|---------------------------------|
|               |                          |                          |                            |                                      | Insulated parts       | Connection pipes, non-insulated |
| 6015          | 12.5                     | 25.5                     | 30 / 60 / 120              | 100                                  | 7                     | 70                              |
| 6040          | 15                       | 28                       | 60 / 120                   | 13                                   | 7                     | 70                              |
| 6090          | 12.5                     | 25.5                     | 30 / 60 / 120              | 100                                  | 7                     | 70                              |

Product codes:

- 6015
- Narvi Sauna Chimney
- 6090
- Narvi Outdoor Sauna Chimney
- 6040
- Narvi Fireplace Chimney

## OUTDOOR SAUNA CHIMNEY - A CHIMNEY KIT FOR BUILDINGS WITH SIMPLE ROOFING

When the full kit is not required, Narvi Outdoor Sauna Chimney is the right option. It has the same strong materials and quality, but it comes without the ceiling insulation or the inbuilt smoke valve.

The rubber part on top of the roof is optimized for barrel saunas.



Narvi Outdoor Sauna Chimney 6090



### ADDITIONALS



Adapter for 115mm stoves



30cm, 60cm and 120cm extension bit



Water heater 22L

Narvi Sauna Chimneys are suitable with:  
Narvi Kuru, Narvi NC, Black, Steam Master, Stony, Velvet

# KOTA CAULDRONS

## WARM WASHING WATER

Kota cauldrons suitable for both cabin and home saunas create an old-time atmosphere for sauna sessions. The cauldrons are suitable for efficient heating of large water quantities. After heating, the water stays warm due to the insulation made of vermiculite.

Kota cauldrons are available in 50L and 80L sizes. Equipped with a stainless steel shell, the 80-litre cauldron can be installed outdoors and an outdoor flue is available as an accessory. The location of the flue outlet of the 80-litre cauldron can be adjusted on order.



The Light Flue connection set is available as an accessory, it can be used to connect the Kota Cauldron 50L with Kota 15 Steel Flue.

| KOTA 50 L | Dimensions (cm) |    |    | Weight (kg) | Flue outlet diameter (cm) | Flue outlet bottom edge height from floor (cm) | Safety distances (cm) |       |     |      |
|-----------|-----------------|----|----|-------------|---------------------------|------------------------------------------------|-----------------------|-------|-----|------|
|           | H               | W  | D  |             |                           |                                                | Sides                 | Front | Top | Rear |
|           | 73              | 48 | 52 |             |                           |                                                | 15                    | 50    | 100 | 15   |

Outer shell: black painted steel.

| KOTA 80 L (round) | Dimensions (cm) |            | Weight (kg) | Flue outlet diameter (cm) | Flue outlet bottom edge height from floor (cm) | Safety distances (cm) |       |     |      |
|-------------------|-----------------|------------|-------------|---------------------------|------------------------------------------------|-----------------------|-------|-----|------|
|                   | K               | Halkaisija |             |                           |                                                | Sides                 | Front | Top | Rear |
|                   | 81              | 59         |             |                           |                                                | 15                    | 50    | 100 | 15   |

Outer shell: black painted or stainless steel, height adjustment range with adjustable feet 0-3cm

| LIGHT FLUE CONNECTION PIECE | Dimensions (cm) |    |    | Weight (kg) |
|-----------------------------|-----------------|----|----|-------------|
|                             | H               | W  | D  |             |
|                             | 71.5            | 48 | 20 |             |

Outer shell: black painted steel.

| CHIMNEY FOR EXTERIOR USE | Dimensions (cm) | Weight (kg) |
|--------------------------|-----------------|-------------|
|                          | Height          |             |
|                          | 109.5           |             |

Outer casing: stainless steel.

Product codes:

- 102038
- 102039
- 2024M
- 163161
- 154025
- Kota 80-litre cauldron, round, black
- Kota 80-litre cauldron, round, stainless
- Kota 50-litre cauldron, rectangular, black
- Light flue connection set Ø11.9 (cauldron 50L, rectangular)
- Chimney for exterior use (Cauldron 80L) Ø123/121.8

# KOTA SMOKER



Kota Smoker is a quality product for smoking. It is suitable for outdoor use, both in home backyard and summer cabin settings. The exterior casing of the smoker, the smokestack and the smoker tub are made of stainless steel. The smoker has a good-sized smoking rack that can accommodate even larger smoked foods.

The smoker can also be used as a charcoal grill. The smoker now comes with a thermometer to ensure successful smoking.

Another novelty is the glass door of the fire chamber.



Thermometer  
in the cover



Scope of delivery

| SMOKER | Dimensions (cm) |    |       | Total weight (kg) |
|--------|-----------------|----|-------|-------------------|
|        | H               | W  | D     |                   |
|        | 74              | 42 | 63 *) | 41                |


\*) Depth with smokestack.

Product code:

502010    Kota Smoker

# ADDITIONAL COMPONENTS AND ACCESSORIES

CE



## CONNECTION PIPES

The connection pipes are made of 2.0mm thick sheet steel and painted with heatproof paint. With the comprehensive range of Kota connection pipes, stoves and fireplaces can be installed even to difficult locations. For detailed information and dimensions visit [www.narvi.fi](http://www.narvi.fi).



## KOTA FLUE TANK

The Kota flue tank is connected to the sauna stove's connection flues, so that the water heats up when the stove is heated. The tank can be rotated either to the right or to the left of the stove. The tank capacity is 30 litres, it is made of stainless steel.

Flue tank dimensions: width 45cm, depth 25cm, height 38cm.

Product code:

202007 Kota Flue Water Tank



## STONE CAGES

By using a stone cage, the heat of the flue can be utilised and the amount of stones heated increased. The steam lasts longer as the sprinkled water trickles from the stone cage stones to the stones of the sauna stove. If required, two stone cages can also be installed on top of each other. The stone cage is available painted black and in stainless steel.

Stone cage diameter is 25cm and height 40cm.

Product code:

802142 Stone cage, black  
802134 Stone cage, stainless



## SAUNA STOVE STONES

The durable, traditional Narvi stove stones are available in sizes 5–10cm and 10–15cm, packed in 20kg boxes. Rounded Narvi stove stones are 5–10cm in size and available in 15kg boxes.

White Narvi stove stones intended as decorative stones for the top layer are suitable for use with all electric sauna heaters and continuously heated sauna stoves. One box holds 10kg of stones.

Vulcanite stove stones are universal stones for all stoves. These stones produce generous steam and have a durable structure. Vulcanite is darker than the traditional olivine diabase. Two size categories: under 5–10cm and 10–15cm. One box holds 20kg of stones.

Remember the general rule: 10–15cm for wood-burning stoves and 5–10cm for electric heaters.

# PROTECTION SOLUTIONS

Kota guards can be used in ready-made solutions for safe reduction of safety distances in case of different stoves. The guards can also be used to prevent water from splashing onto wooden walls or log joints. The guards are made of stylish brushed stainless chromium steel. Use ready-made guards to complete the installation.

Protective walls save space and provide more opportunities for placing the stove to the desired spot. Protective walls are available with single or double protection. Single protective walls are available in two different sizes and can be used to reduce the stove safety distances by 50%. Three different double protective wall options are available, which can be assembled into a single unit, if necessary. Protective distances can be reduced by up to 75% with a set of protective walls that can be used with the Kota Kuru series stoves. The protective wall set is made of black painted steel. With the protective wall set, the stove can

be installed to the distance of 130mm from combustible material. Width: Kuru 14, 52.5cm / Kuru 20, 56.5cm Depth: 55.5cm, Height: 70cm with double protective walls installed. Consult the user manual of your stove to ensure proper protection.

Using the installation base, the stove can be installed onto a wooden or tiled sauna floor with underfloor heating or waterproofing. If the floor is sloping, the base can be used to straighten the stove using its adjustable feet. The installation base is made of stainless steel. Choose the size of the base according to the size of the stove. The range of protection solutions also includes ceiling protection, front plate and flue shield options. For more detailed information about the protection solutions, see the table below.



## PROTECTION SOLUTION DIMENSIONS (cm)

|        |                                         |                   |        |                                          |             |
|--------|-----------------------------------------|-------------------|--------|------------------------------------------|-------------|
| 921126 | Protective wall 1, single, stainless    | 65 x 3 x 115      | 921119 | VS stove installation base, stainless    | 55 x 75     |
| 921125 | Protective wall 2, single, stainless    | 75 x 3 x 115      | 802136 | Installation base, octagonal, stainless  | 60 x 60     |
| 804001 | Protective wall 1, double, stainless    | 76 x 3.7 x 123    | 155989 | Installation base, octagonal, black      | 60 x 60     |
| 804002 | Protective wall 2, double, stainless    | 65 x 3.7 x 123    | 163473 | Protective wall, single, black           | 75 x 115    |
| 804003 | Protective wall 3, double, stainless    | 59 x 3.7 x 70/123 | 163474 | Protective wall, single, black           | 65 x 115    |
| 921122 | Stove front plate, stainless            | 55 x 45           | 163372 | Protective wall, bent, black             | Ø70x120 60° |
| 155545 | Stove front plate, black                | 55 x 45           | 155544 | Installation base, black                 | 55 x 62     |
| 163601 | Flue shield, black                      | 870 x 250         | 156853 | Installation base, black                 | 60 x 75     |
| 163600 | Ceiling protection, black               | 65 x 65           | 152848 | Installation base Aitokiuas AK-47, black | Ø490        |
| 921117 | Installation base, stainless            | 55 x 62           | 156667 | Installation base Aitokiuas AK-57, black | Ø590        |
| 921121 | Installation base, stainless (NC 20 VS) | 60 x 75           |        |                                          |             |



## KURU 14-20 PROTECTIVE WALL SET

A set of protective walls that can be used with the Kota Kuru series stoves. The protective wall set is made of black painted steel. With the protective wall set, the stove can be installed to the distance of 130mm from combustible material.

Width: Kuru 14, 52.5cm / Kuru 20, 56.5cm  
Depth: 55.5cm, Height: 70cm

Product code:

163602 Kota Kuru 14-20 protective wall set, black

# NARVI GARDEN SAUNA KIT

## ALL IN ONE PACKAGE

Narvi Garden Sauna Kit is a set made of high-quality materials for the builder of a yard sauna or summer cabin. The package includes the following products:

- Kota Kuru 14
- Protective wall set Kuru, black
- Installation base, 550x620mm, black
- Front plate, 550x450mm
- Flue shield, black
- 6090 Narvi Outdoor Sauna Chimney
- Stove stones 10–15cm, 2 boxes





# NARVI

All the sauna stoves  
we manufacture are  
Key Flag products.





# NARVI

NARVI OY

Yrittäjäntie 1, 27230 Lappi

Tel. +358 20 7416 740

[export@narvi.fi](mailto:export@narvi.fi)

[www.narvi.fi/en](http://www.narvi.fi/en)

  [narvifinland](#)



Narvi Oy reserves the right to make product-related changes.